

NOTE:

- 1. THE USE OF THIS STANDARD IN THE PUBLIC RIGHT OF WAY REQUIRES A PERMIT FROM THE DEPARTMENT OF PUBLIC WORKS.
- 2. WHERE PRACTICAL, POST HOLES SHALL BE LOCATED ON PRIVATE PROPERTY.
- 3. SPECIFIED SLEEVE IS APPROXIMATELY 18"-24" DEEP, THEREFORE AVOID ALL UTILITIES AND SERVICES. CONTACT UNDERGROUND SERVICE ALERT AT (800) 422-4133 BEFORE INSTALLATION.
- 4. FOR TEMPORARY USE WITH 13" O.D. PIPE FENCE POSTS.
- 5. SLEEVE AND CAP MAY BE MADE OF BRASS OR BRONZE.
- 6. THREADED CAP MUST HAVE A SURFACE COEFFICIENT OF FRICTION OF 0.5 OR GREATER AND BE FLUSH WITH FINISHED SIDEWALK GRADE.

CITY OF PASADENA - DEPARTMENT OF PUBLIC WORKS DRAWN BY: MARCOS TIEMANN DESIGNED BY: GIL WEISS SUBMITTED BY GIL WEISS SUBMITTED BY GIL WEISS CITY ENGINEER CREE NO. 38669 EXPIRES MARCH 31, 2009 CITY ENGINEER CREE NO. 38669 EXPIRES MARCH 31, 2009 CITY ENGINEER CREE NO. 38669 EXPIRES MARCH 31, 2009 CITY ENGINEER CREE NO. 38669 EXPIRES MARCH 31, 2009