



SPECIFIED PLANT MATERIAL:
SPECIMEN TO BE APPROVED
BEFORE PLANTING AND
ALSO IN PLACE BY THE
CITY ARBORIST



DOUBLE STAKING TREE TIES

ONE PAIR OF 600 mm (24") CINCH TIES,
ATTACH TO LODGEPOLE PINE
STAKES WITH
#8 x 50 mm (2") GALVANIZED SCREWS

2 - 50 mm (2") DIA. LODGEPOLE PINE
STAKES 3 m (10') LONG WITH GREEN
PRESERVATIVE STAIN OR APPROVED EQUAL

ROOT CROWN SHALL BE 6 mm (1/4") TO
12 mm (1/2") HIGHER THAN FINISH GRADE


75 mm (3") LAYER OF TYPE 5 WOOD
CHIPS OR APPROVED EQUAL, KEEP 50 mm
(2") CLEAR FROM ROOT CROWN

150 mm (6") DEEP TEMPORARY WATER BASIN

FINISH GRADE

BACKFILL MATERIAL SHALL BE WELL
TAMPED NATIVE SOIL AMENDED TO 20%
BY VOLUME WITH TYPE 4 ORGANIC SOIL
AMENDMENT SIMILAR TO "AMEND", OR
APPROVED EQUAL, AND 225 GRAMS (8 OZ)
OF SUPERPHOSPHATE

TWICE DIA. OF ROOT BALL.
PLANTING HOLE SHALL BE
EXCAVATED SQUARE AND
ALL SIDES LEFT ROUGH TO
PERMIT ROOT PENETRATION.



CITY OF PASADENA - PUBLIC WORKS & TRANSPORTATION DEPARTMENT

DRAWN BY:
YANNIE WU

DESIGNED BY:
RAY MONTGOMERY

CHECKED BY:
REBECCA FISHER

**TREE PLANTING
WITH STAKING**

APPROVED BY:
Steve D. Wright
ACTING CITY ENGINEER

RCE NO. 48650 EXPIRES JUNE 30, 2004

DATE
3/5/02

REVISION: 2 UNITS: DUAL

STANDARD PLAN:
S-630

SHEET 1 OF 1

S630-1-REV2.DWG 02/2002